

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	97	((transmiss\$4 adj axis) near10 polariz\$4) with ((align\$4 orient\$4 rub\$4) adj direction)) and ferroelectric and angle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 16:11
L2	171	((transmiss\$4 adj axis) near10 polariz\$4) with ((align\$4 orient\$4 rub\$4) with direction)) and ferroelectric and angle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 16:11
S1	3	"5504600".pn. "6015507".pn. "6108061".pn.	USPAT	OR	OFF	2007/04/18 08:24
S2	869	349/123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:09
S3	52	349/123 and ((only adj one) near10 align\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 17:02
S4	42	("3030208" "3912920" "4861854" "4963448" "4974941" "5032009" "5073294" "5296321" "5350539" "5389698" "5447662" "5453862" "5464668" "5464669" "5479282" "5538823" "5539074" "5576862" "5578351" "5602661" "5604615" "5657105" "5712696" "5744203" "5764326" "5767994" "5784139" "5786041" "5824377" "5853818" "5856430" "5856431" "5859682" "5880803" "5882238" "5889571" "5909265" "5982466" "6084057" "6139926" "6340506").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 16:26
S5	1	(ferroelectric near10 (half adj v-switching))and ((only adj one) near10 align\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:59

EAST Search History

S6	6	(ferroelectric near10 (half adj v-switching))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:09
S7	6	(half adj v-switching)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:22
S8	6	(v-switching)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 18:09
S9	42965	ferroelectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:26
S10	11660	ferroelectric adj liquid adj crystal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 18:10
S11	445	((ferroelectric adj liquid adj crystal)and (align\$4 near10 field near10 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 18:12
S12	141	((ferroelectric adj liquid adj crystal) near10 switch\$4)and (align\$4 near10 field near10 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 18:13
S13	558	(electric adj field adj align\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:23

EAST Search History

S14	454	(electric adj field adj align\$4) and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:28
S15	133	(electric adj field adj align\$4) and (voltage near10 switch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:39
S16	28	(electric adj field adj align\$4) and ((initial or incipient) near10 align\$4 near10 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 11:41
S17	6	(ferroelectric and (half adj v-switching))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:00
S18	43020	ferroelectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:01
S19	13818	(ferroelectric and switch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:02
S20	10182	ferroelectric and switch\$4 and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:02
S21	256	(ferroelectric and switch\$4 and voltage)and ((initial incipient) near10 align\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:29

EAST Search History

S22	8	(ferroelectric and switch\$4 and voltage)and ((initial incipient) near10 align\$4) and (((transmiss\$4 adj axis) near10 ((align\$4 orient\$4) adj direction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:51
S23	2	(ferroelectric and switch\$4 and voltage)and ((initial incipient) near10 align\$4) and (((transmiss\$4 adj axis) near10 polariz\$4) near10 ((align\$4 orient\$4) adj direction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:54
S24	105	((((transmiss\$4 adj axis) near10 polariz\$4) near10 ((align\$4 orient\$4) adj direction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:54
S25	20	((((transmiss\$4 adj axis) near10 polariz\$4) near10 ((align\$4 orient\$4) adj direction)) and ferroelectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:38
S26	243	ferroelectric and 349/123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:14
S30	1	ferroelectric and 349/123 and ((transmissive adj axis) near10 polarizer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:43
S31	118	ferroelectric and 349/134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:13
S32	487	ferroelectric and 349/172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:19

EAST Search History

S33	40	ferroelectric and 349/172 and 349/123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:53
S34	34	ferroelectric and 349/132 and 349/123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:42
S35	23	ferroelectric and 349/134 and 349/123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:15
S36	6	ferroelectric and ((transmissive adj axis) near10 polarizer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 11:43
S37	76	ferroelectric and 349/123 and (only adj one)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:19
S38	134	ferroelectric and 349/172 and (only adj one)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:36
S39	218	349/99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 09:54
S41	107	349/100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:11

EAST Search History

S42	88	349/100 and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:14
S43	34563	"349"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 10:54
S44	90	349/100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:14
S45	73	349/100 and (angle agree coincident)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:40
S46	73	349/100 and (angle agree coincide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:34
S47	37	349/100 and (angle agree coincident) and tilt and transmi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 16:41
S48	888	349/123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:09
S49	11	(ferroelectric near10 (half adj v-switching))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:36

EAST Search History

S50	86	ferroelectric and 349/134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:13
S51	209	ferroelectric and 349/123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:14
S52	79	349/100 and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:14
S53	23	ferroelectric and 349/134 and 349/123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:15
S54	1	"20040085502".pn.	US-PGPUB	OR	OFF	2006/05/08 11:11
S55	2	(ferroelectric near10 (half adj v-switching)) and (mono near10 sta\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:46
S56	2	(ferroelectric and (half adj v-switching)) and (mono near10 sta\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:45
S57	2679	(mono near10 state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:22
S58	62	(mono near10 state)and (ferroelectric adj liquid adj crystal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 11:48

EAST Search History

S59	84	(mono near10 stable) and (phase near10 transit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:24
S60	84	(mono near10 stable) and (phase near10 transit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:25
S61	57	(mono near10 stable) and (phase near10 transit\$4) and voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:25
S62	72	ferroelectric and (half adj V adj switch\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:41
S63	50	ferroelectric and (half adj V adj switch\$4)and @ad<"20030828"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:43
S64	95	ferroelectric and (half near10 V near10 switch\$4)and @ad<"20030828"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:44
S65	82	ferroelectric and (half near10 V near10 switch\$4)and @ad<"20030828" and rub\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:47

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(((((transmiss\$4 adj axis) near10 polariz\$4) with ((align\$4 orient\$4 rub\$4) with direction))) and ferroelectric and angle).clm.	US-PGPUB	OR	ON	2007/08/28 16:43
L2	3	(((((transmiss\$4 adj axis) near10 polariz\$4) and ((align\$4 orient\$4 rub\$4) and direction))) and ferroelectric and angle).clm.	US-PGPUB	OR	ON	2007/08/28 16:44
L3	0	((transmiss\$4 adj axis) and polariz\$4 and (align\$4 orient\$4 rub\$4) and ferroelectric and angle and monostable).clm.	US-PGPUB	OR	ON	2007/08/28 16:45
L4	4	((transmiss\$4 adj axis) and polariz\$4 and (align\$4 orient\$4 rub\$4) and ferroelectric and angle).clm.	US-PGPUB	OR	ON	2007/08/28 16:47
L5	11	(transmiss\$4 and polariz\$4 and (align\$4 orient\$4 rub\$4)and ferroelectric and angle).clm.	US-PGPUB	OR	ON	2007/08/28 16:48

EAST Search History

S66	72	ferroelectric and (half near10 V near10 switch\$4)and @ad<"20030828" and rub\$4 and monostable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:48
S67	7	(ferroelectric near10 (half adj V adj switch\$4)) and rub\$4 and ((liquid adj crystal) with monostable) and ((initial incipient) near10 align\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:48
S68	7	(ferroelectric with (half adj V adj switch\$4)) and rub\$4 and ((liquid adj crystal) with monostable) and ((initial incipient) near10 align\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:49
S69	72	ferroelectric and (half near10 V near10 switch\$4)and @ad<"20030828" and rub\$4 and monostable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:49
S72	25	((((transmiss\$4 adj axis) near10 polariz\$4) near10 ((align\$4 orient\$4) adj direction)) and ferroelectric and angle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:41
S73	51	((((transmiss\$4 adj axis) near10 polariz\$4) near10 ((align\$4 orient\$4) rub\$4) adj direction)) and ferroelectric and angle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 16:10
S74	2	"6704086".pn. "4712873".pn.	USPAT	OR	OFF	2007/04/18 08:24